REFER TO FLOOR PLANS FOR SHEARWALL LOCATIONS.

TYP. CONT. SHEARWALL HOLDOWNS

1 TYPICAL CONNECTION AT CORNER

Scale : 1½" = 1'-0"

2 COUPLING NUT CONNECTION

1½" = 1'-0"

3 FLOOR CONNECTION (RESTRAINED)

1½" = 1'-0"

4 ROOF CONNECTION

1½" = 1'-0"

5 TYPICAL CONNECTION AT WALL INTERSECTION

Scale : 1½" = 1'-0"

6 TYPICAL CONNECTION AT END OF WALL

SCALE: 1½" = 1'-0"

4 STORY SYSTEM TO ALLOW FOR 1" TOTAL SHRINKAGE MAX

CONTINUOUS ROD TAKE UP DEVICE MANUFACTURER SHALL PROVIDE SIGNED AND SEALED DRAWINGS FROM AN ENGINEER REGISTERED IN THE STATE OF FLORIDA. DETAILS SHOWN ARE CLP STANDARD DETAILS, SHOWN FOR INTENT ONLY. FINAL CONTINUOUS ROD TAKE UP DEVICE SHOP DRAWING LAYOUT AND MATERIALS SHALL BE REVIEWED PRIOR TO INSTALLATION.

REFER TO SHEAR WALL SCHEDULE FOR COMPRESSION STUDS AS ALL WALLS HAVE DIFFERENT CONFIGURATIONS

PERMIT REVIEW STAMP

ISSUE HISTORY

No.	Date	Description
1	1/18/2018	ISSUE FOR PERMIT

REVISION HISTORY

No.	Date	Description

FUGLEBERG KOCH

2555 Temple Trail, Winter Park, FL 32789 (407) 629-0595
www. fuglebergkoch.com AA26002103

CONSULTANT

GUTHERMAN STRUCTURAL INC.
130 CROWN OAK CENTRE DR.
LONGWOOD FL 32750
P: 407.701.0875 LIC. #28863

John Gutherman Jr., P.E.
FL REG. #60880

JOHN GUTHERMAN JR. LICENSE No. 60880 STATE OF FLORIDA PROFESSIONAL ENGINEER

THIS ITEM HAS BEEN ELECTRONICALLY SIGNED AND SEALED BY JOHN GUTHERMAN JR. PE # 60880 ON 1/22/2018 USING A DIGITAL SIGNATURE.

PRINTED COPIES OF THIS DOCUMENT ARE NOT CONSIDERED SIGNED AND SEALED AND THE SIGNATURE MUST BE VERIFIED ON ANY ELECTRONIC COPIES.

SUMMER BAY APTS. II

LAKE COUNTY, FL

Drawn:	JR/VERA
Checked:	JGUTHERMAN
Approval:	JGUTHERMAN
Date:	Issue Date
Project #:	5389

TYPICAL CONTINUOUS TIE ROD DETAILS

S2.03

© 2017 These documents and their contents are the property of FUGLEBERG KOCH - AA26002103, and are issued only for the specific project noted on these drawings. Any reproductions, modifications or disclosure of these documents without the expressed written consent of Fugleberg Koch, is prohibited by law.