DOOR SCHEDULE

DOOR MARK	FRAME TYPE	DOOR WIDTH	DOOR HEIGHT	DOOR THICKNESS	DOOR MATERIAL	GLAZING TYPE	FRAME MATERIAL	FRAME HEAD	FRAME JAMB	FRAME THRESHOLD	DOOR RATING	REMARKS
A01	G	6'-0"	8'-0"	1 3/4"	INSUL. ALUM.		ALUM.				FPA	THERMALLY BROKEN, SAFETY GLAZED, PANIC HDWAR.
A02	C	3'-0"	7'-0"	1 3/4"	INS. HM		ALUM.				90 MIN.	FIRE GLAZED, PANIC HDWR.
A03	H	3'-0"	7'-0"	1 3/4"	INSUL. ALUM.		ALUM.				FPA 90 MIN.	THERMALLY BROKEN, SAFETY GLAZED, PANIC HDWAR.
A04	J	3'-0"	7'-0"	1 3/4"	INSUL. HM		INSUL. HM					
A05	A	3'-0"	3'-0"	1 3/4"	HM		HM					UTILITY CLOSET
G02	F	9'-0"	7'-0"	1 1/2"	MTL		MTL				20 MIN.	OVERHEAD DOOR
G03	A	3'-0"	6'-8"	1 3/8"	HM		HM				20 MIN.	THERMALLY BROKEN, SPRING HINGE
U01	A	3'-0"	8'-0"	1 3/8"	INS. HM		HM	F5/A7.01	D5/A7.01	G5,H5/A7.01		PROVIDE WIDE ANGLE DOOR VIEWER, SPRING HINGE
U02	A	2'-10"	6'-8"	1 3/8"	WD		WD	F5/A7.01	D5/A7.01	G1/A7.01		
U03	A	1'-8"	6'-8"	1 3/8"	WD		WD	F5/A7.01	D5/A7.01	G1/A7.01		
U04	B	3'-0"	6'-8"	1 3/8"	WD		WD	F5/A7.01	D5/A7.01	G1/A7.01		
U05	B	6'-0"	6'-8"	1 3/8"	WD		WD	F5/A7.01	D5/A7.01	H5/A7.01		
U06	E	3'-0"	8'-0"	1 3/4"	FBG		INSUL. HM	F7/A7.01	D7/A7.01	G7,H7/A7.01		THERMALLY BROKEN, SAFETY GLAZED
U07	C	5'-0"	6'-8"	1 3/8"	WD		WD	F3/A7.01	G3/A7.01	H3/A7.02		
U08	D	5'-0"	6'-8"	1 3/8"	WD		WD	F3/A7.01	G3/A7.01	H3/A7.02		
U09	K	1'-0"	6'-8"	1 3/8"	WD		-	F5/A7.01	D5/A7.01	G5,H5/A7.01		FRAMELESS, LOUVERED, MAGNETIC LATCH
U10	A	2'-10"	6'-8"	1 3/8"	HM		WD	F7/A7.01	D7/A7.01	G7,H7/A7.01		

FPA = FLORIDA PRODUCT APPROVAL REQUIRED, SEE A0.02 FOR BASIS OF DESIGN

D5 TYPICAL INTERIOR DOOR JAMB DETAIL
3" = 1'-0"

D7 EXTERIOR DOOR JAMB DETAIL (SIDING)
3" = 1'-0"

D9 GARAGE DOOR THRESHOLD DETAIL
3" = 1'-0"

C9 DOOR HEAD DETAIL
3" = 1'-0"

F3 BYPASS DOOR- HEAD DETAIL
3" = 1'-0"

F5 TYPICAL INTERIOR DOOR HEAD DETAIL
3" = 1'-0"

F7 EXT DOOR HEAD DTL (SIDING)
3" = 1'-0"

F9 GARAGE DOOR HEAD DETAIL
3" = 1'-0"

G3 BYPASS DOOR- JAMB DETAIL
3" = 1'-0"

G5 TYPICAL INTERIOR DOOR THRESHOLD DETAIL
3" = 1'-0"

G7 EXTERIOR DOOR THRESHOLD DETAIL
3" = 1'-0"

1 GARAGE DOOR JAMB DETAIL
1 1/2" = 1'-0"

H3 BYPASS DOOR- THRESHOLD DETAIL
3" = 1'-0"

H5 TYPICAL INTERIOR DOOR THRESHOLD DETAIL
3" = 1'-0"

H7 EXTERIOR DOOR THRESHOLD DETAIL
3" = 1'-0"

DOOR NOTES:

A. ALL FIRE DOORS AND FRAMES TO HAVE APPROVED CLOSERS AND LATCHING MECHANISMS.
B. THRESHOLDS AT EXTERIOR DOORS ARE NO HIGHER THAN 1/2" MAX.
C. VERIFY ROUGH OPENING REQUIRED WITH DOOR FRAME MANUFACTURER.
D. PROVIDE WEATHERSTRIPING AT ALL EXTERIOR DOORS.
E. DOOR MANUFACTURER SHALL PROVIDE CERTIFICATION, SIGNED AND SEAL BY A REGISTERED **FLORIDA** PROFESSIONAL ENGINEER THAT:
1- DOORS WILL BE ABLE TO WITHSTAND REQUIRED WIND LOADS AND PRESSURE
2- TO SUPPLY TYPE AND NUMBER OF FASTENERS REQUIRED TO SECURE FRAME TO HEAD, JAMBS OF ALL DOOR OPENINGS.
F. THE AVERAGE TEMPERATURE RISE DEVELOPED ON THE UNEXPOSED SIDE SHALL NOT EXCEED 450° F (232° C) AT THE END OF 30 MINUTES OF STANDARD FIRE TEST EXPOSURE

HARDWARE NOTES:

A. REFER TO SPECIFICATIONS FOR HARDWARE GROUPS. ALL HARDWARE TO MEET FLORIDA BUILDING CODE REQUIREMENTS AND MEET FAIR HOUSING GUIDELINES FOR ACCESSIBLE AND USABLE DOORS.
B. PRIMARY ENTRY DOORS OF DWELLING UNIT EXTERIOR SIDE, PUBLIC AND COMMON USED DOORS MUST PROVIDE 32" CLEAR WIDTH AND HAVE 1/2" THRESHOLDS.
C. BALCONY DOOR THRESHOLD TO NOT EXCEED 1/2" FOR IMPERVIOUS CONSTRUCTION OF THE WET SIDE.
D. ALL UNITS SHALL HAVE LEVER TYPE HARDWARE ON ALL DOORS. IF CLOSER IS PROVIDED, SHALL NOT BE REQUIRED TO HAVE MORE THAN 5 LBF. TO OPERATE AND CLOSE UNLESS REQUIRED BY LOCAL FIRE AUTHORITY.

PERMIT REVIEW STAMP

ISSUE HISTORY

No.	Date	Description
1	1/18/2018	ISSUE FOR PERMIT

REVISION HISTORY

No.	Date	Description

© 2017 These documents and their contents are the property of FUGLEBERG KOCH - AA26002103, and are issued only for the specific project noted on these drawings. Any reproduction, reuse or modifications of these documents without the expressed written consent of Fugleberg Koch, is prohibited by law.

FUGLEBERG KOCH
2555 Temple Trail, Winter Park, FL 32789 (407) 629-0595
www.fuglebergkoch.com AA26002103

CONSULTANT

MICHAEL E. GOVE
FLORIDA LICENSE # AR94111

STATE OF FLORIDA MICHAEL E. GOVE AR94111 REGISTERED ARCHITECT

Digitally signed by Michael Gove
Date: 2018.01.18 13:59:57 -05'00'

SUMMER BAY APTS. II	Drawn: Author
LAKE COUNTY, FL	Checked: Checker
	Approval: Approver
	Date: Issue Date
	Project #: 5389
DOOR SCHEDULE AND DETAILS	
A7.01	

PLOTTED: 1/22/2018
10:08:02 AM