



1. SEE OVERALL BUILDING PLANS FOR ROUTING OF MAIN WATER & SEWER PIPING.
2. SEE BUILDING PLANS & RISER SHEETS FOR CONTINUATIONS OF RISER TAGS & ADDITIONAL INFORMATION.
3. SEE RISER FOR STACK DESIGNATIONS & DIMENSIONS.
4. WATERPIPING IS NOT TO BE SHARED BETWEEN UNITS.
5. SEE BUILDING PLANS FOR RATED WALL & FLOOR INFORMATION.
6. P.C. TO ENSURE SHUT-OFF VALVES IN MECHANICAL CLOSETS WILL BE ACCESSIBLE ONCE AIR HANDLER IS INSTALLED.
7. P.C. TO ENSURE WASTE/VENT/WATER STACK LOCATIONS DO NOT INTERFERE W/ MECHANICAL DUCTWORK.
8. P.C. TO SHIP IN P-TRAP, SINK, SLOPE & WASHER/DRYER LAYOUT W/ ARCHITECTURAL PLANS.
9. MECHANICAL CLOSET HUB DRAIN TO RUN TO STORM SEWER NO P-TRAP REQUIRED.

- ① WATER HEATER DRAIN HW/VAC UNIT IN CLOSET. DRAIN TO AREA HUB DRAIN. SEE DETAIL. COORDINATE EXACT LOCATION WITH M.C. AND AREA MECHANICAL EQUIPMENT. COORDINATE EXACT HW DRAIN LOCATION WITH WATER HEATER DRAIN PAN; MUST BE VISIBLE AND ACCESSIBLE.
- ② PROVIDE DISHWASHER CONNECTIONS.
- ③ PROVIDE GARBAGE DISPOSAL CONNECTION. ENSURE KNEE CLEARANCES ARE MAINTAINED IN ADA UNITS.
- ④ HW/CW DOWN IN WALL TO BELOW FLOOR.
- ⑤ HW/CW UP FROM BELOW FLOOR TO KITCHEN SINK.
- ⑥ P.C. TO ENSURE THAT DISTANCE FROM TRAP TO VENT DOES NOT EXCEED 8FT.

NOTE:
WATER HEATER IS TO BE NO MORE THAN 32" TALL IN UNITS WITH STACKED WATER HEATERS AND AIR HANDLERS IN THE SAME MECHANICAL CLOSET.



5711 SIX FORKS ROAD, SUITE 100
RALEIGH NC 27609
website www.planworx.com

PERMIT SET



708 ST. MARYS ST
RALEIGH, NC 27605 LIC.#: P-0990
P:919-341-4247 F:919-890-3797
PLUMBING MECHANICAL ELECTRICAL

[illegible]

PROJECT NO:	002221
-------------	--------

DRAWN BY: CWL

CHECKED BY: ZLT

SHEET TITLE:

PLUMBING UNIT PLANS

SHEET NUMBER:

P1.22