



3 ELECTRICAL UNIT PLAN - TYPE 3.0 MOBILITY  
SCALE: 1/4" = 1'-0"



2 ELECTRICAL UNIT PLAN - TYPE 3.0 FAIR HOUSING  
SCALE: 1/4" = 1'-0"

- GENERAL NOTES - THIS SHEET
- ALL 120V RECEPTACLES ARE TO BE TAMPER RESISTANT.
  - ALL RECEPTACLES ON 20 AMP CIRCUIT TO BE 20 AMP RECEPTACLES.
  - COORDINATE EXACT LOCATION OF WH, AH, & HP W/ P.C. & M.C. BEFORE BEGINNING WORK.
  - E.C. TO CONFIRM ALL APPLIANCE LOCATIONS W/ ARCH PLANS PRIOR TO BEGINNING WORK.
  - PROVIDE EXTRA BRACING FOR ANY CEILING FAN.
  - CONTRACTOR SHALL VERIFY THE EXACT LOCATIONS AND MOUNTING HEIGHTS FOR ALL OUTLETS BEFORE STARTING "ROUGH-IN" WORK. CONTRACTOR SHALL NOT "ROUGH-IN" ANY OUTLET, FIXTURE OR DEVICE OF ANY KIND WITHOUT FIRST ATTENDING A WALK THROUGH OF EACH APARTMENT UNIT WITH THE OWNER AND GENERAL CONTRACTOR FOR COORDINATION OF FINAL LOCATIONS.
  - UNIT PANELS ARE TO BE INSTALLED SO THAT NO TRIM LATCH ON BREAKER IS GREATER THAN 48" AFF.
  - SEE BUILDING PLANS FOR RATING OF UNIT DEMISING WALLS & FLOOR CEILING ASSEMBLIES.

- TAGGED NOTES - THIS SHEET
- PROVIDE A SIMPLEX RECEPTACLE FOR MICROWAVE UNIT. MOUNT RECEPTACLE AT BACK OF UPPER CABINET. MICROWAVE UNIT IS MOUNTED OVER RANGE. COORDINATE EXACT LOCATION W/ G.C..
  - PROVIDE CHANNEL VISION BRAND STRUCTURED WIRING ENCLOSURE FOR NETWORKING PURPOSES WITHIN APARTMENT FOR MODULAR PUSH AND LOCK TELEPHONE, VIDEO, DATA, AND POWER MODULES. THE CABLE TV COAX AND TELEPHONE/DATA CAT 5 FEED FROM THE LOWER LEVEL DATA ROOM(S) SHALL TERMINATE AT THIS BOX IN EACH APARTMENT. THEN FROM THIS BOX SPLIT OFF TO FEED EACH DATA/TELEPHONE/CABLE TV OUTLET WITHIN EACH APARTMENT. USE 19" MODEL C-0119E IN THE 4BR AND 3BR UNITS AND USE 12" MODEL C-0112WE IN THE 2BR AND 1BR UNITS. INSIDE THE SINGLE GANG KNOCKOUT PROVIDED IN EACH STRUCTURED WIRING ENCLOSURE. PROVIDE A DUPLEX ELECTRICAL POWER RECEPTACLE ON CIRCUIT NOTED.
  - CONFIRM EXACT LOCATION OF TV OUTLET W/ OWNER.
  - PROVIDE POWER FOR WATER METER COORD. LOCATION W/ P.C..
  - PROVIDE COUNTER TOP AIR SWITCH NEXT TO SINK FOR GARBAGE DISPOSAL. CONFIRM EXACT LOCATION W/ OWNER.
  - PROGRAMMABLE EXHAUST FAN SWITCH PROVIDED BY M.C. INSTALLED BY AND PROGRAMMED(DIALS SET) BY E.C.. SEE MECH PLAN.
  - PROVIDE (2) GFI RECEPTACLES FOR DISHWASHER AND GARBAGE DISPOSAL TO BE INSTALLED BELOW SINK IN READILY ACCESSIBLE LOCATION.



1 ELECTRICAL UNIT PLAN - TYPE 2.2 FAIR HOUSING  
SCALE: 1/4" = 1'-0"

**PLANWORX**  
ARCHITECTURE

5711 SIX FORKS ROAD, SUITE 100  
RALEIGH NC 27609  
website www.planworx.com

Oasis at Surfside - Phase II

Zimmer Development Company

Cape Coral, Florida

PERMIT SET

**MAPLE**  
ENGINEERING, PLLC

708 E. HARRIS ST.  
RALEIGH, NC 27605 S.G.F. P.0090  
P.0112-041-4247 F.0119-000-3797  
PLUMBING MECHANICAL ELECTRICAL

PROGRESS DATE:	11/17/21
ISSUE DATE:	
REVISIONS	
NUMBER	
DATE	
INITIALS	
DESCRIPTION	

PROJECT NO: 002221

DRAWN BY: NHV

CHECKED BY: ZLT

SHEET TITLE: ELECTRICAL UNIT PLANS

SHEET NUMBER: E1.22