




711 SIX FORKS ROAD, SUITE 100
ALEIGH NC 27609
Website www.planworx.com

1. WATER SERVICE & BUILDING SEWER PIPING MUST BE SEPARATED PER 2020 FLPC 603.2.

- 1 CW UP IN WALL TO PLUMBING FIXTURES. ENSURE PIPING IS ON WARM SIDE OF INSULATION. PROVIDE W/ BV-1 IN ACCESS PANEL. LOW ON WALL.
- 2 PROVIDE TEMPERING VALVE, TV-1, BELOW SINK. SET TO 100°F.
- 3 TANKLESS WATER HEATER, WH-2, LOCATED ON WALL BELOW SINK. ENSURE ADA CLEARANCES ARE MAINTAINED. DRAIN TO FLOOR DRAIN IN AREA.
- 4 CW DOWN IN WALL TO FREEZE-PROOF HOSE BIB. ENSURE PIPING IS ON WARM SIDE OF INSULATION. PROVIDE W/ BV-1 IN ACCESS PANEL. LOW ON WALL.



SCALE: 1/4" = 1'-0"

Zimmer Development Company

PERMIT SET



708 ST. MARYS ST
RALEIGH, NC 27605 LIC.#: P-0990
P:919-341-4247 F:919-890-3797
PLUMBING MECHANICAL ELECTRICAL

[illegible]

PROJECT NO: 002221

DRAWN BY: CWL

SHEET TITLE:

PLUMBING MAINTENANCE PLAN

SHEET NUMBER:

P5.10

11/17/2021 2:56 PM
PLX-2107-P510.DWG

All drawings are to be coordinated with all site information or owner and contractor, and applicable codes.

Contractor is to notify architect immediately of conditions or items varying from depicted information.

Planswork Architecture, P.A. Design does not assume any liability for expenses incurred by these drawings unless offset by construction savings as a result of planswork Architecture, P.A. Design.

In whole or in part, is strictly prohibited. Plans may be used once by client. Unauthorized use of information depicted. PLANS NOT VALID FOR CONSTRUCTION W/O APPROPRIATE PROFESSIONAL SEALS.

Planswork Architecture, P.A. is not responsible for constructed variations from the information depicted.

Planswork Architecture, P.A. retains ownership of all designs depicted and implied herein.

Planswork Architecture, P.A. is not responsible for estimating, maintaining, or regulating construction costs associated with these plans.